

Plot Descriptions

Village Cove

-Plot VP: Coordinates ()

Located adjacent west of the village, this plot is part of a north-facing cove subject to constant, albeit usually light, wind and intermittent fog. Approximate elevation [redacted] meters above sea level. Nesting species found here include: RLKI, BLKI, TBMU. Predation and/or scavenging by arctic fox possible. Nesting ledges located on this plot are naturally occurring and artificially installed. Total number of RLKI nests, BLKI.

-Plot 60: Coordinates (56°36.184' N, 169°32.362 W) ± 15 m

Less than a quarter mile east of the village, this plot is part of a north-facing cove subject to constant, albeit usually light, wind and intermittent fog. Approximate elevation 25 meters above sea level. Nesting species found here include: RLKI, BLKI, NOFU, HOPU, and TUPU. Predation and/or scavenging by arctic fox possible as one fox was observed removing a dead RFCO. All nesting ledges located on this plot are naturally occurring. Total number of RLKI nests 46, BLKI 20.

-Plot 61: Coordinates (56°36.170' N, 169°32.253 W) ± 15 m

Less than a quarter mile east of the village, this plot is part of a north-facing cove subject to constant, albeit usually light, wind and intermittent fog. Approximate elevation 24 meters above sea level. Nesting species found here include: RLKI, BLKI, NOFU, PAUA, HOPU, TUPU, TBMU, and COMU. Predation and/or scavenging by arctic fox possible. Nesting ledges located on this plot are naturally occurring and artificially installed. Total number of RLKI nests, BLKI.

-Plot 62: Coordinates (56°36.178' N, 169°32.188 W) ± 15 m

Less than a quarter mile east of the village, this plot is part of a north-facing cove subject to constant, albeit usually light, wind and intermittent fog. Approximate elevation 34 meters above sea level. Nesting species found here include: RLKI, BLKI, NOFU, TBMU, COMU, and RFCO. Predation and/or scavenging by arctic fox possible. All nesting ledges located on this plot are naturally occurring. Total number of RLKI nests, BLKI.

Rosy Finch Cove

-Plot 56: Coordinates (56°36.078' N, 169°35.604 W) ± 15 m

Just over a mile west of the village, this plot is part of a north-facing cove subject to constant, albeit usually light, wind and intermittent fog. Approximate elevation 87 meters above sea level. Nesting species found here include: RLKI, BLKI, NOFU, PAUA, TBMU, and COMU. Predation and/or scavenging by arctic fox possible. All nesting ledges located on this plot are naturally occurring, and area exhibits frequent rock fall. Total number of RLKI nests, BLKI.

-Plot 82: Coordinates (56°36.062' N, 169°35.475 W) ± 15 m

Just over a mile west of the village, this plot is part of a north-facing cove subject to constant, albeit usually light, wind and intermittent fog. Approximate elevation 32 meters above sea level. Nesting species found here include: RLKI, BLKI, NOFU, PAUA, HOPU, and TBMU.

Predation and/or scavenging by arctic fox possible. All nesting ledges located on this plot are naturally occurring, and area exhibits frequent rock fall. Total number of RLKI nests , BLKI .

First Bluff

-Plot 84: Coordinates (56°36.190' N, 169°38.114 W) \pm 15 m

Approximately 2.5 miles west of the village, this plot is part of a north-facing bluff subject to constant light-to-moderate wind and usually light to dense fog. Approximate elevation 85 meters above sea level. Nesting species found here include: RLKI, BLKI, NOFU, PAUA, HOPU, TUPU, and TBMU. Predation and/or scavenging by arctic fox possible. All nesting ledges located on this plot are naturally occurring. Total number of RLKI nests , BLKI .

-Plot 85: Coordinates (56°36.155' N, 169°37.712 W) \pm 15 m

Approximately 2.5 miles west of the village, this plot is part of a north-facing bluff subject to constant light-to-moderate wind and usually light to dense fog. Approximate elevation 160 meters above sea level. Nesting species found here include: RLKI, BLKI, NOFU, PAUA, HOPU, and TBMU. Predation and/or scavenging by arctic fox possible. All nesting ledges located on this plot are naturally occurring. Total number of RLKI nests , BLKI .

-Plot 87: Coordinates (56°36.155' N, 169°37.712 W) \pm 15 m

Approximately 2.5 miles west of the village, this plot is part of a north-facing bluff subject to constant light-to-moderate wind and usually light to dense fog. Approximate elevation 160 meters above sea level. Nesting species found here include: RLKI, BLKI, NOFU, PAUA, HOPU, TBMU, and COMU. Predation and/or scavenging by arctic fox possible. All nesting ledges located on this plot are naturally occurring. Total number of RLKI nests , BLKI .

High Bluffs

-Plot 66: Coordinates (56°36.169' N, 169°39.567 W) \pm 15 m

Approximately 4.0 miles west of the village, this plot is part of a north-facing bluff subject to constant moderate-to-strong wind and usually light to dense fog. Approximate elevation 250 meters above sea level. Nesting species found here include: RLKI, BLKI, TBMU. Predation and/or scavenging by arctic fox possible. All nesting ledges located on this plot are naturally occurring. Total number of RLKI nests , BLKI .

-Plot 67: Coordinates ()

Approximately 4.0 miles west of the village, this plot is part of a north-facing bluff subject to constant moderate-to-strong wind and usually light to dense fog. Approximate elevation () meters above sea level. Nesting species found here include: RLKI and BLKI. Predation and/or scavenging by arctic fox possible. All nesting ledges located on this plot are naturally occurring. Total number of RLKI nests , BLKI .

-Plot 68: Coordinates (56°36.186' N, 169°39.840 W) \pm 15 m

Approximately 4.0 miles west of the village, this plot is part of a north-facing bluff subject to constant moderate-to-strong wind and usually light to dense fog. Approximate elevation 278 meters above sea level. Nesting species found here include: RLKI, BLKI, and TBMU. Predation and/or scavenging by arctic fox possible. All nesting ledges located on this plot are naturally occurring. Total number of RLKI nests , BLKI .

-Plot 69: Coordinates (56°36.186' N, 169°40.123 W) ± 15 m

Approximately 4.0 miles west of the village, this plot is part of a north-facing bluff subject to constant moderate-to-strong wind and usually light to dense fog. Approximate elevation 285 meters above sea level. Nesting species found here include: RLKI, BLKI, and TBMU. Predation and/or scavenging by arctic fox possible. Nesting ledges located on this plot are naturally occurring and artificially installed. Total number of RLKI nests , BLKI .

-Plot 70: Coordinates (56°36.186' N, 169°40.367 W) ± 15 m

Approximately 4.0 miles west of the village, this plot is part of a north-facing bluff subject to constant moderate-to-strong wind and usually light to dense fog. Approximate elevation 304 meters above sea level. Nesting species found here include: RLKI, BLKI, and TBMU. Predation and/or scavenging by arctic fox possible. All nesting ledges located on this plot are naturally occurring. Total number of RLKI nests , BLKI .

-Plot 78: Coordinates (56°36.169' N, 169°39.567 W) ± 15 m

Approximately 4.0 miles west of the village, this plot is part of a north-facing bluff subject to constant moderate-to-strong wind and usually light to dense fog. Approximate elevation 250 meters above sea level. Nesting species found here include: RLKI, BLKI, and TBMU. Predation and/or scavenging by arctic fox possible. Nesting ledges located on this plot are naturally occurring and artificially installed. Total number of RLKI nests , BLKI .